



Applicable Requirements :  
ANSI/UL 1017  
CSA C22.2 No.243



Complies with NFPA 77 "Recommended Practice on Static Electricity"

### Characteristics



Coalescing Filter Element




SD Accessories - Included



SS 304




Dry Recovery




HEPA - Included



High Filtration Efficiency Unit




Wet Mix - Oil



Wet Mix - Water



Less than 10 ohms



3D Printing



Brushless Motor Available



- Protected against ingress of dust
- Enhanced Mini Immersion Separator - Wet Mix - Can be used with either water or oil
- Designed for the recovery and INERTIZATION of combustible dust into a liquid immersion bath
- Meets the requirements for a Liquid Precipitation Collector for metal dusts as outlined in NFPA 484
- Electric
- Coalescing Filter Element (CFE) for moisture removal. HEPA Grade. 99.97% efficiency at 0.3 micron
- Heavy duty 2-stage by-pass motor
- Longer life brushless motor available. Always with 2 x H14 HEPA filters
- Recovery tank made of stainless steel Type 304
- A package of the disposable conductive "wet" recovery bags is included with the vacuum cleaner
- Recovery capacity - 3.25 gal. (12.3L) of liquid is required in the recovery tank. The conductive "wet" Recovery Bag has a recovery capacity of 4.5L (1.5 gal.)
- Degassing vent allows gas to be evacuated automatically from the unit
- Equipped with a liquid level indicator
- Includes a complete static dissipative tool kit

# Specifications

2D-10 (IT-40L) DT CFE HEPA ORDLOC-652 W/3D TOOL KIT	113189A-3D
<b>Model Name</b>	2D-10 (IT-40L) DT CFE HEPA W/3D TOOL KIT
<b>Type (Powerhead)</b>	Electric
<b>Tension</b>	120 V
<b>Frequency</b>	60 Hz
<b>Phase</b>	Single
<b>Wattage</b>	1207 W
<b>Power</b>	1.6 HP
<b>Amperage</b>	10.5 A
<b>Air Flow</b>	110 CFM
<b>Vacuum Pressure</b>	107 " H <sub>2</sub> O
<b>Sound Level</b>	75 dB(A)
<b>Type of Power Outlet</b>	120V
<b>Suction Inlet Port</b>	1.5 "
<b>Cart Type</b>	Detachable Tank (DT)
<b>Filter Cleaning</b>	Liquid Immersion Bath
<b>Cord Length</b>	35 ft.

Please note that specifications are subject to change without notice

## Use only recommended tools & accessories



Optional 3D Tools



Mini Enhanced - Rear View



Mini Enhanced - Side View with detachable tank



Mist Arrester Pack - Included



Coalescing HEPA filter (Upstream) - Included



Conductive "wet" recovery bag - Included





Cone assembly and detachable recovery tank with liquid level indicator and drain valve - Included



3D Tool Kit for 1.5" camlock suction inlet - included



Longer Life Brushless Motor Available (always with 2 x H14 HEPA filters)



#228093 - Depressor cage for conductive wet recovery bag - optional



Degassing Vent - Included