C ⊂ℝ US

Applicable Requirements :
ANSI/UL 1017
CSA C22.2 No.243

Characteristics

Pharma Applications

Cleanroom Compatible

Wet and Dry Recovery

ULPA - Included

High Filtration Efficiency Unit

Activated Carbon

Accessories Included

EMI Shielded

- ULPA filter with an efficiency of 99.999% at 0.12 micron. Filtration efficiency of 99.9995% at 0.18 micron. Tested IEST-RP-CC001. U15 by MPPS method as per EN 1822. All of our ULPA vacuum systems are aerosol leak tested before leaving our facility - included

- Cleanroom compatible with ISO Class 4 (former Class 10). Can be used in the Pharmaceutical industry

- EMI/RFI Shielded

- 5-stage filtration system, includes dual ULPA filters (U15) (one for the working air and one for the cooling air), double cloth filter, and disposable filter bags

- Available with a Middle Ring with Activated Carbon (MRAC) for the adsorption of toxic/noxious fumes and vapors

- Designed for use in contamination controlled environments

- Heavy duty 2-stage by-pass motor

- For wet & dry recovery

- Polyethylene recovery tank with polished metal powerhead

- Mounted on a 4-wheel dolly for easy maneuverability

- Includes a complete tool kit.

Tiger-Vac Inc.
11 SW 12th Ave #112
Dania, FL 33004
USA

Tiger-Vac International Inc.
2020 Dagenais Blvd. Ouest
Laval, Quebec
Canada H7L 5W2

Tel: 1-800-668-4437 (954-925-3625)
Fax: 1-800-668-4439 (954-925-3626)

Website: http://www.tiger-vac.com
Email: sales@tiger-vac.com

CWR POLY SERIES Brochure - Downloaded: July 12, 2024 - Page 1/3

Specifications

CWR POLY SERIES	110498A	110499A
Model Name	CWR-15 (4W) POLY	CWR-8 POLY
Type (Powerhead)	Electric	Electric
Tension	120 V	120 V
Frequency	60 Hz	60 Hz
Phase	Single	Single
Wattage	1200 W	1050 W
Power	1.6 HP	1.6 HP
Amperage	10.5 A	10.5 A
Air Flow	110 CFM	110 CFM
Vacuum Pressure	107 " H_2O	107 " H_2O
Sound Level	75 dB(A)	75 dB(A)
Type of Power Outlet	120V	120V
Suction Inlet Port	1.5 "	1.5 "
Cart Type	4 Wheel Dolly (4W)	4 Wheel Dolly (4W)
Filter Cleaning	None	None
Dust Recovery Tank	12.5 gal.	6.5 Gal
Dry Recovery - Disposable Filter Bag	5 gal.	2.5 gal.
Liquid Recovery Capacity	12.5 gal.	6.5 gal.
Length	"	23 "
Width	"	19 "
Height	"	30 "
Weight (Vacuum Only)	lb.	40 lb.
Cord Length	35 ft.	35 ft.

Please note that specifications are subject to change without notice

# Use only recommended tools & accessories

CWR-8 Poly Tank

ULPA Filter - Included

CWR Tools and Accessories - Included

CWR Tools and Accessories - Optional

Needle Trap - Optional