



Complies with NFPA 77 "Recommended Practice on Static Electricity"



Applicable requirements :
Standard(s) for Electric Vacuum Cleaning Machines and Blower Cleaners (UL-1017)

Characteristics



Three Motors



HEPA -
Included



High Filtration
Efficiency Unit



Dry Recovery



Detachable
Tank



SS 304



SD Accessories
- Included



- Complies with NFPA 652 paragraph 8.4.2.2.1.7 and NFPA 654 paragraph 8.4.3.7 (1) to (7)
- 3 motors (individual). 1, 2 or 3 motors can be used at one time
- Includes a star shaped main filter
- Manual Filter Shaker (MFS) system
- HEPA filter with an efficiency of 99.995% at 0.3 micron. Tested IEST-RP-CC001. H14 by MPPS method as per EN 1822 and OSHA compliant. All of our HEPA vacuum systems are aerosol leak tested before leaving our facility - included
- Filter chamber and recovery tank made of stainless steel Type 304
- Detachable recovery tank (DT) for easy disposal of recovered materials
- Pressure gauge and illuminated filter blockage indicator
- Includes a complete static dissipative tool kit

Specifications

TV-201 (DT) MFS HEPA ORDLOC-652	111887A-652
Model Name	TV-201 (DT) MFS HEPA ORDLOC-652
Type (Powerhead)	Electric
Tension	120 V
Frequency	60 Hz
Phase	Single
Wattage	2400 W
Power	3.2 HP
Amperage	15.8 A
Air Flow	270 CFM
Vacuum Pressure	71.5 " H ₂ O
Sound Level	70 dB(A)
Type of Power Outlet	20 Amps
Suction Inlet Port	70 mm
Cart Type	Detachable Tank (DT)
Filter Cleaning	Manual Filter Shaker (MFS)
Filter Type	Star Shaped + HEPA
Filter Surface Area	21 ft ² + 10.8 ft ²
Dust Recovery Tank	10.5 gal. (40 L)
Length	29 "
Width	25 "
Height	44 "
Weight (Vacuum Only)	122 lb.
Cord Length	30 ft.

Please note that specifications are subject to change without notice

Use only recommended tools & accessories



Side Mounted Manual Filter Shaker



Tangential Suction Inlet, 70 mm, Aluminum



HEPA Filter Cartridge - Included



Conductive Star Shaped Filter with Cage for ORDLOC 652 - Included



Optional Front Mount Floor Tool



Detachable Recovery Tank for easy emptying



Ø2" (Ø50 mm) Static Conductive Tool Kit - Included



Independent Control for each motor. Pressure Gage and Filter Blockage Indicator