

SS-63L EX (MRP) RE HEPA SINGLE/TWIN VENTURI

Technical Sheet

Dry Recovery

The name to vacuum with

Tiger-Vac Inc. 11 SW 12th Ave #112 Dania, FL 33004 USA

U.S. Headquarters

Tel: 1-800-668-4437 (954-925-3625) Fax: 1-800-668-4439 (954-925-3626) Website: http://www.tiger-vac.com Email: sales@tiger-vac.com

Division 1, Class I, Groups A, B, C and D

Division 1, Class II, Groups E, F, G Hazardous Locations as defined in the National Electrical Code (NFPA 70)

International Headquarters

Detachable

Tank

Cleanroom

Compatible

Tiger-Vac International Inc. 2020 Dagenais Blvd. Ouest Laval, Quebec Canada H7L 5W2

0Ω

Less than 10

ohms

SD Accessories

- Included

Tel: (450-625-0099) Fax: (450-625-3388) Website: http://www.tiger-vac.com Email: sales@tiger-vac.com

High Filtration

Efficiency Unit

HEPA

HEPA

Included

Pharma

Applications



Ex h IIC T6 Gb **IEĈE**X Ex h IIIC T85°C Db IECEx LCIE 17.0076 X

Designed for use in :



IEC

GUARANTEED for the Safe Recovery of Combustible/Conductive Dusts

ESD Safe Vacuum Systems for Hazardous Locations are designed to prevent ignition hazards. We use metal parts or Static Dissipative

Discharge (ESD)



NFPA77

Complies with NFPA 77 "Recommended Practice on Static Electricity"

Specifications For SS-63L EX (MRP) RE HEPA SINGLE/TWIN VENTURI

Name	Part Number	Air Flow	Vacuum Pressure	Dust Recovery Tank
SS-63L EX (MRP) RE HEPA	111645	120 CFM	180 " H ₂ 0	15 Gal
SINGLE VENTURI	Dimensions: H80" x W27" x	L36" Weight: 180 lb.		
Description: Specifications may vary depending upon performance of the compressor.				
SS-63L EX (MRP) RE HEPA	111646	195 CFM	230 " H ₂ 0	15 Gal
TWIN VENTURI	Dimensions: H80" x W27" x	L36" Weight: 185 lb.	Sound Level: 75 dB(A)	
Description: Specifications may vary depending upon performance of the compressor.				

Please note that specifications are subject to change without notice

Technical Sheet For SS-63L EX (MRP) RE HEPA SINGLE/TWIN VENTURI

HEPA FILTER AND ACCESSORIES - Included		
Part #	Description	
211027B	HEPA FILTER 99.995% EFFICIENCY ON 0.3 MICRON (CE VERSION)	

REVERSE PURGE FILTER CARTRIDGE - Included

Part #	Description
-	FILTER CARTRIDGE ALUM. SPUN BOND POLYESTER 18"H x 6.73"ID x 11.085"OD W/304SS PERF.INNER CORE 27 SFT

SKIRT FOR REVERSE PURGE FILTER CARTRIDGE - Optional	
Part #	Description
214221	SD* SKIRT FOR FILTER CARDRIDGE, 18" HIGH X 11.085" OD

POLY LINER RECOVERY BAGS AND ACCESSORIES - Optional

Powder Coating to prevent Electrostatic

EX Certified

AISI

304

SS 304

Part #	Description
212101A	CONDUCTIVE POLY LINER WITH DRAW STRING (63 LITRES/15 GALLON)
213780	POLY LINER RETAINER PLATE ASSEMBLY (FOR USE WITH MOTORS UP TO 5HP)
	n) EXPLOSION PROOF TOOLS & ACCESSORIES FOR MODEL SS-63L EX (MRP) RE HEPA SINGLE VENTURI - ′ FOR USE WHEN RECOVERING CONDUCTIVE, METAL & PYROTECHNIC DUST. STATIC DISSIPATIVE (LESS THAN 10 Jded
Part #	Description
381401D	KANAFLEX SUCTION HOSE ASSEMBLY SD* Ø1.5"(38mm)x15'(4.5m)W/HOSE CUFF&RING FOR USE W/2.5" (64mm)CAMLOCK
211030	AIR SUPPLY HOSE ASSEMBLY SD* 0.5"(12.7mm) x 50'(15m) w/1 MALE QUICK DISC. & 1 FEMALE QUICK DISC.
381364A	WAND ASSEMBLY (2pc), 1.5" X 54", S/S WITH ALUMINUM TOOL COUPLING, w/TAPER FOR USE w/HOSE CUFF w/RING
381236	UNIVERSAL TOOL SD* w/CONDUCTIVE BRUSH STRIPS, RUBBER BLADES, BRASS AXLE & WHEELS, 1.5" x18",ALUMINUM
381372D	CREVICE TOOL, 1.5"(38mm) x 11"(28cm), STAINLESS STEEL, FOR USE WITH HOSE CUFF WITH RING
381185DA	ROUND BRUSH, ALUMINUM SD*, 5"(12.5cm), WITH CONDUCTIVE BRISTLES, FOR USE w/HOSE CUFF w/RING
383462D	CONICAL NOZZLE ASSEMBLY w/CURVED TIP 10"(25cm)CONDUCTIVE RUBBER FOR HOSE CUFF&RING(383462M+381147D)
211065B	MULTIMETER

Ø1.5" (Ø38mm) STATIC CONDUCTIVE TOOLS AND ACCESSORIES FOR MODEL SS-63L EX (MRP) RE HEPA SINGLE VENTURI (RESISTIIVITY OF 10/3 - 10/5) - Optional		
Part #	Description	
383441F	CRUSHPROOF SUCTION HOSE ASSMBLY 1.5"(38mm) x 10'(3m), STATIC CONDUCTIVE, FOR 2.5" CAMLOCK INTAKE	
381364	DOUBLE BEND WAND ASSEMBLY (2pc) 1.5"(38mm) x 54"(137cm), STAINLESS STEEL w/ALUMINUM TOOL COUPLING	
381236	UNIVERSAL TOOL SD* w/CONDUCTIVE BRUSH STRIPS, RUBBER BLADES, BRASS AXLE & WHEELS, 1.5" x18",ALUMINUM	
381188	CREVICE TOOL SD*, 1.5" (38mm) x 11" (28cm), ALUMINUM	
381185A	DUSTING BRUSH, SD*, 5"(12.5cm), ALUMINUM w/STAINLESS STEEL COUPLING #381147, w/CONDUCTIVE BRISTLES	
383462	CONICAL NOZZLE ASMBLY w/CURVED TIP, 10"(25cm) CONDUCTIVE RUBBER, PRESSURE FIT (323562+381155A-H)	

Ø2" (Ø50mm) EXPLOSION PROOF TOOLS & ACCESSORIES FOR MODEL SS-63L EX (MRP) RE HEPA TWIN VENTURI - MANDATORY FOR USE WHEN RECOVERING CONDUCTIVE, METAL & PYROTECHNIC DUST. STATIC DISSIPATIVE (LESS THAN 10 OHMS) - Included		
Part #	Description	
500306D	KANAFLEX SUCTION HOSE ASSEMBLY SD* Ø2"(50mm)x15'(4.5m)WITH Ø2.5"(64mm)FEMALE CAMLOCK,HOSE CUFF&RING	
214139	AIR SUPPLY HOSE ASSEMBLY SD* Ø0.75"(19mm)x25'(7.5m) WITH 1 MALE QUICK DISC & 1 FEMALE QUICK DISC	
500160SS	WAND ONLY SINGLE BEND Ø2"(50mm)x48"(1.2m) -STAINLESS STEEL AISI 304 FOR HOSE CUFF & RING	
500161A	UNIVERSAL TOOL Ø2"(50mm)x20"(51cm)SD* NO COUPLING WITH BRASS WHEELS&CONDUCTIVE BRISTLES&RUBBER BLADE	
500558	CREVICE TOOL, 2"(50mm) x 15"(38cm), STAINLESS STEEL TYPE 304	
501184DA	DUSTING BRUSH ALUMINUM SD* 2"(50mm) x 5"(13cm) w/CONDUCTIVE BRISTLES, FOR USE w/HOSE CUFF w/RING	
500230D	CONICAL NOZZLE ASSEMBLY -CONDUCTIVE RUBBER Ø2"(50mm)x7.5"(19cm)FOR USE WITH HOSE CUFF & RING	
211065B	MULTIMETER	

Ø2" (Ø50mm) STATIC CONDUCTIVE TOOLS AND ACCESSORIES FOR MODEL SS-63L EX (MRP) RE HEPA TWIN VENTURI (RESISTIIVITY OF 10/3 - 10/5) - Optional		
Part #	Description	
500540D	CRUSHPROOF SUCTION HOSE ASSEMBLY 2"(50mm) x 15'(4.5m) STATIC CONDUCTIVE, FOR 2.5" CAMLOCK INTAKE	
500160	WAND ONLY, SINGLE BEND, 2"(50mm) x 48" (122cm), ALUMINUM, WITH TAPER FOR FLOOR TOOL	
500161A	UNIVERSAL TOOL Ø2"(50mm)x20"(51cm)SD* NO COUPLING WITH BRASS WHEELS&CONDUCTIVE BRISTLES&RUBBER BLADE	
500156B	CREVICE TOOL SD* (NO COUPLING) Ø2"(50mm)x15"(38cm) -ALUMINUM	
501184A	DUSTING BRUSH ALUMINUM SD* Ø2"(50mm)x5"(12.7cm)WITH CONDUCTIVE BRISTLES & TUBE FOR PRESSURE FIT	
500230	CONICAL NOZZLE RUBBER SD* ASSEMBLY Ø2"(50mm)x7.5"(19cm) WITH Ø2"(50mm)PRESSURE FIT ALUM. CONNECTOR	

GROUNDING REEL - Optional		
Part #	Description	
211191	GROUNDING REEL, 50ft (15m), STAINLESS STEEL HOUSING & CABLE, WITH AIRCRAFT GROUNDING CLAMP	

AVAILABLE UPGRADES - Optional		
Part #	Description	
218169- UPGRADE	UPGRADE FOR HEAVY DUTY CART ASSEMBLY, FROM POWDER COATED STEEL TO STAINLESS STEEL TYPE 304	