

U.S. Headquarters

Tiger-Vac Inc.
11 SW 12th Ave #112
Dania, FL 33004
USA

Tel: 1-800-668-4437 (954-925-3625)
Fax: 1-800-668-4439 (954-925-3626)
Website: <http://www.tiger-vac.com>
Email: sales@tiger-vac.com

International Headquarters

Tiger-Vac International Inc.
2020 Dagenais Blvd. Ouest
Laval, Quebec
Canada H7L 5W2

Tel: (450-625-0099)
Fax: (450-625-3388)
Website: <http://www.tiger-vac.com>
Email: sales@tiger-vac.com



Specifications For REGENERATIVE BLOWERS

| Name | Part Number | Tension | Frequency | Phase | Wattage | Power | Amperage | Air Flow | Vacuum Pressure | Type of Power Outlet |
|--|-----------------------|---------|-----------|--------|---------|--------|----------|----------|-------------------------|----------------------|
| REGENERATIVE BLOWER FOR MODELS CD-1501 CR (STD), 2 HP, (RT-3015-1), WIRED FOR 120V, 60 HZ, SINGLE PHASE | 212746C1*120V | 120 V | 60 Hz | Single | 1500 W | 2 HP | 18 A | 120 CFM | 111+ " H ₂ O | Not Included |
| | Sound Level: 69 dB(A) | | | | | | | | | |
| REGENERATIVE BLOWER FOR MODELS CD-1501 CR (STD), 2 HP, (RT-3015-1), WIRED FOR 230V, 60 HZ, SINGLE PHASE | 212746C1*230V | 230 V | 60 Hz | Single | 1500 W | 2 HP | 9 A | 120 CFM | 111+ " H ₂ O | Not Included |
| | Sound Level: 69 dB(A) | | | | | | | | | |
| REGENERATIVE BLOWER FOR MODELS CD-1501 CR (STD) AND CD-2600 CR SERIES, 2.5 HP, (RT-1900 (RT-4019)), WIRED FOR 230V, 60 HZ, THREE-PHASE | 212748A*230V | 230 V | 60 Hz | Three | 1900 W | 2.5 HP | 7 A | 148 CFM | 140 " H ₂ O | Not Included |
| | | | | | | | | | | |
| REGENERATIVE BLOWER FOR MODELS CD-1501 CR (STD) AND CD-2600 CR SERIES, 2.5 HP, (RT-1900 (RT-4019)), WIRED FOR 460V, 60 HZ, THREE-PHASE | 212748A*460V | 460 V | 60 Hz | Three | 1900 W | 2.5 HP | 4 A | 148 CFM | 140 " H ₂ O | Not Included |
| | | | | | | | | | | |

| | | | | | | | | | | |
|---|--------------|-------|-------|--------|--------|--------|--------|---------|-------------------------|--------------|
| REGENERATIVE BLOWER FOR MODELS CD-1501 CR (STD) AND CD-2600 CR SERIES, 2.5 HP, (RT-1900 (RT-4019)), WIRED FOR 575V, 60 HZ, THREE-PHASE | 212748B | 575 V | 60 Hz | Three | 1900 W | 2.5 HP | 2.6 A | 148 CFM | 140 " H ₂ O | Not Included |
| | | | | | | | | | | |
| REGENERATIVE BLOWER FOR MODELS CD-2600 CR SERIES, 2.5 HP, (RT-1900 (RT-4019)), WIRED FOR 120V, 60 HZ, SINGLE PHASE | 212748C*120V | 120 V | 60 Hz | Single | 1900 W | 2.5 HP | 14 A | 140 CFM | 111+ " H ₂ O | Not Included |
| | | | | | | | | | | |
| REGENERATIVE BLOWER FOR MODELS CD-2600 CR SERIES, 2.5 HP, (RT-1900 (RT-4019)), WIRED FOR 230V, 60 HZ, SINGLE PHASE | 212748C*230V | 230 V | 60 Hz | Single | 1900 W | 2.5 HP | 7.2 A | 140 CFM | 111+ " H ₂ O | Not Included |
| | | | | | | | | | | |
| REGENERATIVE BLOWER FOR MODELS CD-2600 CR SERIES, SRV-55 AND TV-2, 3.5 HP (RT-2200 (RT-5026)), WIRED FOR 230V, 60 HZ, THREE-PHASE | 212750A*230V | 230 V | 60 Hz | Three | 2600 W | 3.5 HP | 9.4 A | 219 CFM | 145 " H ₂ O | Not Included |
| | | | | | | | | | | |
| REGENERATIVE BLOWER FOR MODELS CD-2600 CR SERIES, SRV-55 AND TV-2, 3.5 HP (RT-2200 (RT-5026)), WIRED FOR 460V, 60 HZ, THREE-PHASE | 212750A*460V | 460 V | 60 Hz | Three | 2600 W | 3.5 HP | 4.7 A | 219 CFM | 145 " H ₂ O | Not Included |
| | | | | | | | | | | |
| REGENERATIVE BLOWER FOR MODELS CD-2600 CR SERIES, SRV-55 AND TV-2, 3.5 HP (RT-2200 (RT-5026)), WIRED FOR 575V, 60 HZ, THREE-PHASE | 212750B | 575 V | 60 Hz | Three | 2600 W | 3.5 HP | 4 A | 219 CFM | 145 " H ₂ O | Not Included |
| | | | | | | | | | | |
| REGENERATIVE BLOWER FOR MODELS CD-5000, SRV-55, TV-3 AND TV-4, 5 HP (RT-3700 (RT-6037)), WIRED FOR 230V, 60 HZ, THREE-PHASE | 212752A*230V | 230 V | 60 Hz | Three | 3700 W | 5 HP | 13.5 A | 220 CFM | 155 " H ₂ O | Not Included |
| | | | | | | | | | | |

| | | | | | | | | | | |
|---|---------------|-------|-------|--------|--------|--------|--------|---------|------------------------|--------------|
| REGENERATIVE BLOWER FOR MODELS CD-5000, SRV-55, TV-3 AND TV-4, 5 HP (RT-3700 (RT-6037)), WIRED FOR 460, 60 HZ, THREE-PHASE | 212752A*460V | 460 V | 60 Hz | Three | 3700 W | 5 HP | 7.8 A | 220 CFM | 155 " H ₂ O | Not Included |
| | | | | | | | | | | |
| REGENERATIVE BLOWER FOR MODELS CD-5000, SRV-55, TV-3 AND TV-4, 5 HP (RT-3700 (RT-6037)), WIRED FOR 575V, 60 HZ, THREE-PHASE | 212752B | 575 V | 60 Hz | Three | 3700 W | 5 HP | 5.4 A | 220 CFM | 155 " H ₂ O | Not Included |
| | | | | | | | | | | |
| REGENERATIVE BLOWER FOR MODELS CD-10000 AND CDPU-10000, 11 HP (RT-7500), WIRED FOR 230V, 60 HZ, THREE-PHASE | 212756A*230V | 230 V | 60 Hz | Three | 8000 W | 11 HP | 23 A | 360 CFM | 145 " H ₂ O | Not Included |
| | | | | | | | | | | |
| REGENERATIVE BLOWER FOR MODELS CD-10000 AND CDPU-10000, 11 HP (RT-7500), WIRED FOR 460V, 60 HZ, THREE-PHASE | 212756A*460 | 460 V | 60 Hz | Three | 8000 W | 11 HP | 13 A | 360 CFM | 145 " H ₂ O | Not Included |
| | | | | | | | | | | |
| REGENERATIVE BLOWER FOR MODELS CD-10000 AND CDPU-10000, 11 HP (RT-7500), WIRED FOR 575V, 60 HZ, THREE-PHASE | 212756B | 575 V | 60 Hz | Three | 8000 W | 11 HP | 10.5 A | 360 CFM | 145 " H ₂ O | Not Included |
| | | | | | | | | | | |
| REGENERATIVE BLOWER FOR MODELS CD-1500 CR (PFB), 850 WATTS, (RT-3009 (RT-0750)), WIRED FOR 120V, 60 HZ, SINGLE PHASE | 215289C1*120V | 120 V | 60 Hz | Single | 850 W | 1.1 HP | 14 A | 95 CFM | 110 " H ₂ O | Not Included |
| | | | | | | | | | | |
| REGENERATIVE BLOWER FOR MODELS CD-1500 CR (PFB), 850 WATTS, (RT-3009 (RT-0750)), WIRED FOR 230V, 60 HZ, SINGLE PHASE | 215289C1*230V | 230 V | 60 Hz | Single | 850 W | 1.1 HP | 7 A | 95 CFM | 110 " H ₂ O | Not Included |
| | | | | | | | | | | |

Please note that specifications are subject to change without notice

Technical Sheet For REGENERATIVE BLOWERS